


TECHNICAL PLASTIC AND METAL PARTS





Code	Description	Price euro/1000	% Price Cha 1	nge Package 2	Α	В	С	D EFgr
429 0070 000 02	MP 429- 70	427,00	+ 60%	- 25	М5	20	10	16

Colour	Colour number
transparent - natural	000 (XXX XXXX XXX XX)
Colour description Matches Featured colours reserve	transparent - natural Natural matches Milk-like; transparent white colour can differ per kind of material. ved. Due to the screen, differences in colour may occur.

Material		Material nr		
Nylon - 66 PA - 66		02 (XXX XXXX XXX XX)		
selflubricant properties ideal for s	slide bearings. Takes ir	ecting elements and other technical n approx 2 % moisture (a little less to days after injection moulding. Opera	han nylon-6) and is then at its	
Features		Chimical resistance		
feature	DIN	Resistance to	Valutation	
D 1 11 1 11 1 2		5		

feature	DIN	Resistance to	Valutation
Relative density gr/cm ³	1,14	Petrol	Α
Tensile strength MN/m ²	60	Benzene	Α
Elongation at break %	140	Mineral oils	Α
Tensile modulus MN/m ²	1500	Vegetable oils	Α
Notched impact strength kJ/m ²	17	Weak alkalis	Α
Ball indentation MN/m ²	100	Strong alkalis	В
Application temperature max °C	120	Weak acids	В
Volume resistivity cm	10^15	Strong acids	С
Dissapation factor tan. 10 ³ Hz	0,15	A = good	
Dielectric strength MV/m	30	$\mathbf{B} = doubtful$	
Flammability UL94 > 1,6 mm	V2	C = poor	
Coefficient of friction (on steel)	0,3		
All data are indicative			

Technical informations are indicative and can be updated.

Copyright Gandini Fasteners S.r.l. All rights reserved. No part of this web site may be reproduced in any form without express permission.

GANDINI FASTENERS SRL viale Pier Paolo Pasolini, 83 - 20099 Sesto S.Giovanni Milano Italy Tel. +39 02 241 047 250 Fax +39 02 241 047 74

Production and distribution of fasteners, fixing elements and mechanical parts
machining

GANDINI PASTENERS SRE viale Pier Paolo Pasolini, 83
Sesto San Giovanni Mi - Italy

GANDINI FASTENERS SRL Sesto San Giovanni Mi - Italy **Sales department** 250@gandini.it tel +39 02 241 047 250

Administration 350@gandini.it tel +39 02 241 047 350